

20x120cm



gres  tough

**PLANKS**

Hi-Definition Digital Ceramic Floor Tiles

***Kajaria***



Natural  
Wooden Look

# Kajaria

gres  tough

## PLANKS

20X120cm

HI-DEFINITION DIGITAL CERAMIC  
FLOOR TILES

### ADVANTAGES

-  Easy cleaning and suitable for heavy traffic areas
-  Extremely durable
-  Highly resistant to abrasion, staining and chemicals
-  Protect water seepage
-  Anti skid
-  Random designs inspired from real wood
-  100% matching with real wood

### ECOLOGICAL ADVANTAGES

Waste/ Used Ceramic Tiles can be 100% recycled and reused.

No Trees/ Wood are used in ceramic tile manufacturing.

Substitute of natural wooden flooring which are made from wood/ Trees.



# IN THE MOOD FOR WOOD



**HD**  
Clarity



**Low**  
Maintenance



High Body  
**Strength**



**Stain**  
Resistant



Copy to real  
wooden textures



Super  
**Flatness**



gres  tough

## PLANKS

20X120cm

HI-DEFINITION DIGITAL CERAMIC  
FLOOR TILES

### COMPARISON

Gres Tough Planks are tiles with matching natural wood textures & gives exact look of wooden flooring. They offer several advantages over actual wooden planks :

GRESTOUGH PLANKS	ACTUAL WOODEN PLANKS
Water Resistant	Non-Resistant to Water
Termite Resistant	Wood is Prone to Termites
Long Lasting	Shorter Life
Environment Friendly	Not Eco-Friendly
Noise-Free While Moving	Wooden Flooring Makes Noise While Moving
Very Easy to Lay	Complicated Laying Procedure
Stain Resistant	Prone to Stains





SENSORY IMMERSION  
IN A WARM AND COSY SPACE

AFRICAN  
WENGE

AMAZON  
WALNUT

BHUTAN  
WENGE

COLLAGE  
WOOD

CORBETT  
TEAK

EQUADOR  
TEAK

EBONY  
WOOD

ENGLISH  
MAHOGANY

GHANA  
WALNUT

HIMALAYAN  
CEDAR

KASHMIR  
WILLOW

KAZIRANGA  
TEAK

MALLORCA  
WALNUT

NICOBAR  
CEDAR

SENEGAL  
OAK

SIBERIAN  
PINE

SILICATE  
GOLD



AFRICAN WENGE

grès  tough

# PLANKS



HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

**20X120cm**

grès  tough

# PLANKS



**20X120cm**

HI-DEFINITION DIGITAL CERAMIC FLOOR TILES



AMAZON WALNUT



BHUTAN WENGE



COLLAGE WOOD

# PLANKS



HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

**20X120cm**



CORBETT TEAK



EQUADOR TEAK

grès  tough

# PLANKS



HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

**20X120cm**



EBONY WOOD



# PLANKS



HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

**20X120cm**



ENGLISH MAHOGANY



GHANA WALNUT

grès  tough

# PLANKS



HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

**20X120cm**

grès  tough

# PLANKS



**20X120cm**

HI-DEFINITION DIGITAL CERAMIC FLOOR TILES



HIMALAYAN CEDAR

grès  tough

# PLANKS



**20X120cm**

HI-DEFINITION DIGITAL CERAMIC FLOOR TILES



KASHMIR WILLOW



KAZIRANGA TEAK



MALLORCA WALNUT

grès  tough

# PLANKS



HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

**20X120cm**



NICOBAR CEDAR



SENEGAL OAK

grès  tough

# PLANKS



HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

**20X120cm**

grès  tough

# PLANKS



**20X120cm**

HI-DEFINITION DIGITAL CERAMIC FLOOR TILES



SIBERIAN PINE



SILICATE GOLD

# SPECIFICATION

Work Size		Coverage Area Per Box	No. of Tiles Per Box	Avg. Wt. Per Box (Kgs.)	Weight / Sq. Mtr. (kgs.)
Dimensions (in mm)	Thickness (in mm)				
200x1200mm (GRESTOUGH)	11.00	0.96 Sq. Mtr.	4 Pcs.	23.80	24.79

## Comparison of Kajaria Tiles Parameters to International Standards B1b ISO-13006:2018-09

S.No.	Characteristics	Group B1b ISO-13006:2018-09		Our Value	Method of Testing
		Nominal size (N) N ≥ 15 cm			
		%	mm		
1	Deviation in Length & Width	± 0.3	± 1.0	± 1.0 mm	ISO-10545-2
2	Deviation in Thickness	± 5.0	± 0.5	± 0.5 mm	ISO-10545-2
3	Deviation in Straightness of Sides	± 0.3	± 0.8	± 0.8 mm	ISO-10545-2
4	Deviation in Rectangularity	± 0.3	± 1.5	± 1.5 mm	ISO-10545-2
5	Surface Flatness				
	a. Centre Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
	b. Edge Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
	c. Corner Warpage (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
6	Surface Quality	A min. 95% of the tiles are to be free from visible defects		A min. 95% of the tiles are to be free from visible defects	ISO-10545-2
7	Water Absorption	0.5% < Eb ≤ 3.0% Ind. Max. 3.3%		2.0 - 3.0%	ISO-10545-3
8	Abrasion Resistance	Report abrasion class and cycles passed		PEI class 3 min.	ISO-10545-7
9	Modulus of Rupture N/mm <sup>2</sup>	Min. 30, Individual min. 27		Min. 30, Individual min. 27	ISO-10545-4
10	Breaking Strength (in Newtons)	a. Thickness ≥ 7.5 mm, not less than 1100 b. Thickness < 7.5 mm, not less than 700		Thickness ≥ 7.5 mm, not less than 1100	ISO-10545-4
11	Crazing Resistance	Required		4 cycle at 7.5 bar min.	ISO-10545-11
12	Resistance to Staining	Min. class 3		Min. class 3	ISO-10545-14
13	Resistance to Chemical	Test method available		Resistant to specified chemicals	ISO-10545-13
14	Moisture Expansion in millimetres per metre	Test method available		Negligible	ISO-10545-10
15	Thermal Shock Resistance	Test method available		No damage	ISO-10545-9

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

**KAJARIA DISPLAY CENTRES****NORTH****CHANDIGARH :**

SCO 17, 1st Floor  
Sector-7C , Madhya Marg, Chandigarh.  
Phones : 91-172-4631418, 4631415  
E-mail : chandigarh@kajariaceramics.com

**DEHRADUN :**

485, Dharampur, Haridwar Road, Dehradun  
Phone : 0135-2675329, 09760044701  
E-mail : dehradun@kajariaceramics.com

**DELHI :**

J1/B1 (Extn.), Mohan Co- op Industrial Estate,  
(Opp. Badarpur Thermal Power Station),  
Mathura Road, Badarpur, Delhi - 110044  
Phone : +91-11-26946409  
E-mail : info@kajariaceramics.com

**JAMMU :**

Satyam Road, Trikuta Nagar,  
Jammu - 180012, Jammu and Kashmir  
Phone - +91-191 247 6300

**JAIPUR :**

Ground Floor, Nidhi Kamal Tower,  
Plot No 37-38 B, Barwara House,  
Ajmer Road, Jaipur - 302006, Rajasthan  
Phone : 0141-4910941, 2220244, 09799495769  
E-mail : jaipur@kajariaceramics.com

**LUDHIANA :**

Dhanraj Complex, Fourth Floor,  
Above Oriental Bank of Commerce,  
Near PAU Gate No. 2, Ferozpur Road  
Ludhiana-141001, Punjab  
Phone : +91-161-4649002  
E-mail : ludhiana@kajariaceramics.com

**LUCKNOW (Regional Office)**

Office Area No. 818, 8th Floor, Cyber Heights,  
Vibhuti Khand, Gomti Nagar,  
Lucknow - 226010 (U.P.)  
Phone : +91-9918002487

**VARANASI :**

Varanasi Trade Centre, Plot No.154/2A,  
1st Floor, Near Income Tax Office  
Maqbool Alam Road, Varanasi- 221002  
Phone : 0542-2500483  
E-mail : varanasi@kajariaceramics.com

**SOUTH****BANGALORE :**

Farah Icon, 119 First Floor,  
Opp. New Pass Port Kendra, Lalbagh Road,  
Bangalore – 560 027, Karnataka  
Phones : 08041440019 / 20 / 30

**CHENNAI :**

Fagun Chambers, Old No: 7,  
New No: 26A/2, 1st Floor, Ethiraj Salai,  
Egmore , Chennai - 600008, Tamil Nadu  
Phones : 044-42691094/ 28264990  
E-mail : chn@kajariaceramics.com

**COCHIN :**

MN Square, 2nd Floor, 549/2,  
Near Gold Souk Grande  
NH Bypass, Vyttila, Cochin- 19, Kerala  
Phones : 0484-2912000  
E-mail : coc@kajariaceramics.com

**COIMBATORE :**

1st Floor, 57, Cowley Brown Road,  
Near Central Library, R.S.Puram ,  
Coimbatore - 641002, Tamil Nadu  
Phones : 0422-4350801/4350803  
E-mail : coimbatore@kajariaceramics.com

**HYDERABAD :**

Uma Aishwarya House, H.No 8-2-502/1/AG,  
Road No. 7, Banjara Hills,  
Hyderabad - 500034, Telangana  
Phone : 040 - 66106058  
E-mail : hyderabad@kajariaceramics.com

**VIJAYWADA :**

61-3/4-1, 1st Road, Geetha Nagar,  
Beside SBI Bank, NH-5, Balaji Nagar,  
Krishna Lanka, Vijaywada-520013, (A.P.)  
M: 9000015173, 9000005389

**CENTRAL****RAIPUR (Regional Office)**

Shop No. 507&508, 5th Floor,  
Lalganga Business Park, NH-43 ,  
Pachpedhi Nak, Raipur-492001, Chhattisgarh  
Phone : +91 7714060427

**INDORE**

S.A. Tower, 1st Floor, 13/3 New Palasia,  
Opp. Arya Samaj Building  
Indore - 452001, Madhya Pradesh  
Phone: 0731- 4068839, 73140 68839

**WEST****AHMEDABAD (Regional Office)**

City Centre-2, Office No-504,  
5th Floor, Nr. Sukan Mall Cross Road,  
Science City Road, Sola,  
Ahmedabad, Gujarat - 380060  
Phone: 9724340881

**MUMBAI :**

B1 - 307, Boomerang,  
Chandivali Farm Road, Near Chandivali Studio,  
Off Saki-vihar Road, Andheri (E), Mumbai – 400072  
Phone : 022-61433100  
Fax : 022-61433111  
E-mail : mum@kajariaceramics.com

**PUNE :**

6th Floor, 601, Dsk Gandharva Heights,  
Ganeshkhind Road, Shivajinagar  
Pune - 411005, Maharashtra  
Phone: 020 6647 1600

**EAST****PATNA (Regional Office)**

'ANCHAL', House No. - 15, Ground Floor  
Justice Narayan Path, Nageswar Colony  
Patna - 800001, Bihar  
Phone - +91 93347 91993

**KOLKATA (Regional Office)**

Tirupati Plaza, 2nd Floor 74/2,  
Acharya Jagdish chandra Bose Road,  
Kolkata -700 016, West Bengal  
Phone - +91-33-40231111, 22268954

# *Kajaria*

INDIA'S NO. 1 TILE COMPANY

## **Kajaria Ceramics Limited**

Corporate Office: J1/B1 (Extn.), Mohan Co - op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: +91-11-26946409, Fax: +91-11- 26946407

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.: +91-0124-4081281

CIN No. : L26924HR1985PLC056150, E-mail: [info@kajariaceramics.com](mailto:info@kajariaceramics.com), Web: [www.kajariaceramics.com](http://www.kajariaceramics.com)

[facebook.com/KajariaCeramicsLimited](https://www.facebook.com/KajariaCeramicsLimited) [twitter.com/KajariaCeramic](https://twitter.com/KajariaCeramic), Tollfree : 1800-11-2992

Download Kajaria App  