



Kajaria
ETERNITY
tiles forever

SRIKALAHASTI PLANT
THE GRANDE
80X160 CM CATALOGUE

Kajaria Srikalahasti Plant, Andhra Pradesh



Kajaria

INDIA'S

NO. **1**

**TILE COMPANY IS
ALSO WORLD'S**

8TH

**LARGEST
MANUFACTURER
OF TILES**

#MakingIndiaProud



WHEN THE SIZE IS AS BIG AS THE GRANDE, IT MATTERS.

True to its name, The Grande is grand in both size and aesthetic appeal. The unique design and structure of this tile add sophisticated style and beauty to any space. It is its versatility that sets it apart from other tiles in its category. With The Grande, you are sure to find a seamless look and feel for your interiors and exteriors. With an array of stunning finishes such as Marbletech, Polished and Matt, it is guaranteed to ensure spectacular and evocative spaces.





THE GRANDE

80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED



RANDOM



RECTIFICADO



HI-DEFINITION
DIGITAL TILES

THE GRANDE
80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED



HD
HI-DEFINITION
DIGITAL TILES



RANDOM



RECTIFICADO



PRISTINE WHITE

SUPER WHITE





ARBESCATO | SUPER WHITE



ARBESCATO

SUPER WHITE

THE GRANDE
80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED



HD
HIDEFINITION
DIGITAL TILES



RANDOM



RECTIFICADO



BOTTICINO

MARBLETECH



BURBARY BEIGE

MARBLETECH




EMALI BEIGE

MARBLETECH



EMPREDOR BROWN | PREMIUM MARBLETECH



EMPREDOR BROWN

PREMIUM MARBLETECH

THE GRANDE
80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED



HIDEFINITION
DIGITAL TILES



RANDOM



RECTIFICADO



JERICO MARFIL

POLISHED



JERICO OCRE

POLISHED



KASHMIR MARFIL

POLISHED



THE GRANDE
80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED



HIDEFINITION
DIGITAL TILES



RANDOM



RECTIFICADO



BOTTICINO CLASSICO

POLISHED



MILANO BEIGE

POLISHED



EMPREDOR BEIGE

POLISHED



THE GRANDE
80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED



HIDEFINITION
DIGITAL TILES



RANDOM



RECTIFICADO



REGAL BEIGE

POLISHED



CLAROS BEIGE

POLISHED



PERLATO SICILIA

POLISHED



THE GRANDE
80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED



HIDEFINITION
DIGITAL TILES



RANDOM



RECTIFICADO



TRAVERTINO BEIGE

POLISHED



TRAVERTINO MARFIL

POLISHED



ARMADIA MARFIL

POLISHED



THE GRANDE
80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED



HIDEFINITION
DIGITAL TILES



RANDOM



RECTIFICADO



ZION MARFIL

POLISHED



ZION BEIGE

POLISHED



RAFAEL MARFIL

POLISHED



ZION BEIGE & ZION MARFIL | POLISHED

THE GRANDE
80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED




HIDEFINITION
DIGITAL TILES



RANDOM



RECTIFICADO



VERSACE COPPER

PREMIUM POLISHED



VERSACE WHITE

PREMIUM POLISHED




ONYX LAVA

PREMIUM POLISHED



THE GRANDE
80x160 cm


- 
FLOOR TILES
- 
WALL TILES
- 
GLAZED
VITRIFIED
- 
HD
HIDEFINITION
DIGITAL TILES
- 
RANDOM
- 
RECTIFICADO



MARRON EMPEROR PREMIUM POLISHED



FRENCH BROWN PREMIUM POLISHED



ARMANI BROWN PREMIUM POLISHED



WILLIAMS GREY | PREMIUM POLISHED



WILLIAMS GREY

PREMIUM POLISHED

THE GRANDE
80x160 cm



FLOOR TILES



WALL TILES



GLAZED
VITRIFIED



HIDEFINITION
DIGITAL TILES



RANDOM



RECTIFICADO




BOLONIA MARFIL

MATT



LUXOR BEIGE

MATT



LUXOR GRIS

MATT



DAYTONA GREY

MATT



DAYTONA GRIS

PREMIUM MATT



BOLONIA MARFIL | MATT

PACKING DETAILS

Dimensions mm	No of Slabs / Box	Coverage Area
800X1600	02	2.56 M ²

TECHNICAL SPECIFICATIONS

S.No	Technical Characteristics	* IS 15622:2017, *EN 14411:2016 & ISO 13006:2018 Group Bla (Annex G) Standard's Requirement	Kajaria Eternity Tile's Specifications	Test method
1.	Deviation in length & width	± 0.1 % ± 0.6 %/ ± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
2.	Deviation in thickness	± 5.0 %	± 4.00 %	IS 13630-1 EN ISO 10545-2
3.	Deviation in Straightness of sides	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
4.	Deviation in Rectangularity	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
5.	Deviation in Surface Flatness	± 0.5 % ± 0.5 %/± 0.4 %	± 0.15 %	IS 13630-1 EN ISO 10545-2
6.	Surface quality	95% of the tiles shall be free from visible defects	95% of the tiles shall be free from visible defects	IS 13630-1 EN ISO 10545-2
7.	Modulus of rupture	Avg. 35 N/mm2, individual Min 32 N/mm2	≥ 40 N/mm ²	IS 13630-6 / EN ISO 10545-4
8.	Breaking strength	Minimum 1300 N	≥ 2000 N, ≥ 7000 (Only for 60x60x1.5 cm) ≥ 1800 N (Only for 40x80 & 13x80 cm)	IS 13630-6 / EN ISO 10545-4
9.	Bulk Density	Minimum 2.20 g/cc	≥ 2.25 g/cc	IS 13630-2
10.	Glossiness	Manufacture to state the class	Min 5 for Rustic/Matt/Satin Finish Min 90 for Polish Finish	Glossimeter 60 degrees
11.	Water Absorption	≤ 0.08 %, Individual Max 0.1% ≤ 0.5 %, Individual Max. 0.6 %	≤ 0.08 %, Individual Max 0.1% ≤ 0.3 % (Only for 40x80 & 13x80 cm)	IS 13630-2 / EN ISO 10545-3
12.	Resistance to surface abrasion of Glazed tiles	Minimum Class II Report abrasion class and cycles passed	PEI-Class III to Class IV	IS 13630-11 EN ISO 10545-7
13.	Thermal expansion from ambient temperature to 100 ° C	Test method available	6x10 ⁻⁶ K ⁻¹ Maximum	IS 13630-4 EN ISO 10545-8
14.	Thermal shock resistance	10 cycles Minimum Test method available	10 cycles Minimum	IS 13630-5 EN ISO 10545-9
15.	Moisture expansion	Maximum 0.02 Millimeter/Metre Test method available	Nil	IS 13630-3 EN ISO 10545-10
16.	Crazing resistance (Glazed Tiles)	Passes 4 cycles at 7.5 kg/cm2 Required	Passes 4 cycles at 7.5 kg/cm ²	IS 13630-9 EN ISO 10545-11
17.	Frost resistance	Required	100 cycles Minimum	IS 13630-10 EN ISO 10545-12
18.	Resistance to Household Chemicals & Swimming Pool Salts #	Minimum Class AA Minimum GB	Minimum Class AA Minimum GB	IS 13630-8 EN ISO 10545-13
19.	Resistance to low & high concentration of acids & alkalis #	Manufacturer to state classification	Minimum Class AA GLB,GHB	IS 13630-8 EN ISO 10545-13
20.	Stain resistance**	Minimum Class 1 Class 3	Minimum Class 1 Class 3	IS 13630-8 EN ISO 10545-14
21.	Slipperiness	Test method available	≥ R-10 for Rustic/Matt/Satin Finish ≥ R-9 for Polish Finish	DIN 51130:2014
22.	Co-efficient of friction	Manufacture to state the class	> 0.34 for Rustic/Matt/Satin Finish > 0.20 for Polish Finish	ISO 10545-17
23.	Scratch hardness of surface(Moh's scale)	Minimum 5 Test method available	'Min 5	IS 13630-13 EN 101
24.	Impact Resistance	Minimum 0.55 Test method available	'No identification of cracking	IS 13630-14 EN ISO 10545-5

Resistance to acids & alkalis (Exception of Hydrofluoric acid & its compounds)

** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

* Applicable in Gailpur plant only.

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.
- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue. The company will not bear any loss in such case.



VISUAL 1



VISUAL 2



KAJARIA DISPLAY CENTRES



❖ BANGALORE :

Farah Icon, 119 2nd Floor,
Opp. New Pass Port Kendra, Lalbagh Road,
Bangalore-560 027, Karnataka
Mobile: 9008402951, 9008402949,
9008016799

❖ COCHIN :

Door No. 48/557-C, MN Square
Near Gold Souk, NH By Pass, Vyttila,
Cochin 682019, Kerala
Mobile: 9746474729

❖ HYDERABAD :

#3 - 143, 1st Floor, Nirvana Building,
Kavuri Hills, Police Station Opp. Road, Madhapur
Hyderabad - 500081, Telangana
Mobile : 9000304996, 9000304992,
9000005383, 7680000890, 9000304997

❖ CHENNAI :

Old No.10, New No.46, Montieth Road
Above Wait Rose Super market
Egmore, Chennai - 600 008.
Mobile : 9791178678, 9952094333

❖ COIMBATORE :

1st Floor, No.57, Cowley Brown Road,
Near Central Library, R.S.Puram,
Coimbatore - 641002.
Mobile : 9629944454, 9677708080

SALES REPRESENTATIVE

ANDHRA PRADESH :

Mobile : 9000300790

GOA :

Mobile : 9665046116, 9730088497, 7028018708

VIJAYAWADA :

Mobile : 7680046467, 9000300790



Toll Free No.: 1800-11-2992 | Email: info@kajariaeternity.com | For exports: global@kajariaeternity.com
Website: www.kajariaeternity.com